Annals of

8030 SW

Otology, Rhinology and Laryngology

POUNDED BY JAMES PLEASANT PARKER.

VOL. XV. 1906.

EDITORIAL STAFF.

H. W. LOEB, M. D., EDITOR-IN-CHIEF, ST. LOUIS.

T. MELVILLE HARDIE, M. D., CHICAGO.

G. L. RICHARDS, M. D., FALL RIVER.

J. L. GOODALE, M. D., BOSTON.

OTTO JOACHIM, M. D., NEW ORLEANS.

WYATT WINGRAVE, M. D., LON., EDITOR FOR ENGLAND.

A. Jansen, M. D., Berlin, Editor for Russia. JAMES T. CAMPBELL, M. D., CHICAGO.

Thos. J. Harris, M. D., NEW YORK.

SAMUEL E. ALLEN, M. D., CINCINNATI.

G. Alexander, M. D., Vienna, editor for the austrian empire.

J. FISCHER, M. D., KOPENHAGEN, EDITOR FOR DENMARK AND SCANDINAVIA.

CLEMENT F. THIESEN, M. D., ALBANY, N. Y.

W. Posthumus Meyjes, M. D., Amsterdam, editor for holland and belgium.

PUBLISHED QUARTERLY,

By Jones H. PARKER,

MERCHANTS-LACLEDE BUILDING,

ST. Louis, Mo.

1906.×

STATE UNIVERSITY OF IOWA LIBRARY

Hertzberg, 84

Med:

TABLE OF CONTENTS.

/ TABLE OF CONTENTS.
M.—Morphology and Embryology of the Nasal Fossae of Vertebrates, by Leon Dieulafe, Sc. D., translated by Hanau W. Loeb, A. M., M. D., St. Louis
II.—Remarks on the Macroscopic Diagnosis and General Indications for Treatment of Cancer of the Larynx, by John Noland Mackenzie, M. D 61
III.—The Treatment of Hypertrophic and Intumescent Rhinitis, by E. Fletcher Ingals, M. D. and Stanton A. Friedberg, M. D., Chicago
IV.—The Treatment of Acute and Chronic Maxillary Sinusitis, by CLEMENT F. THEISEN, M. D., Albany 81
V.—The Use of the Burr in the Mastoid Operation, by A. BARKAN, M. D., San Francisco, Cal
VI. — Non-Diphtheritic Membranous Pharyngitis and Rhinitis with Hyperpyrexia and an Unusual Number of Complications, with Report of Case, by James F. McCaw, M. D., Watertown, N. Y
VII.—Report of a Case of Deformity of the Auricle from Perichondritis Following Radical Operation for Chronic Middle Ear Suppuration and Multiple Furuncles, by WILLIAM H. HASKIN, M. D., New York
VIII. — Actinomycosis of the Middle Ear, with Post-Mortem Findings, by Joseph C. Beck, M. D. Chicago, Ill
IX.—Keloid Tumors, by George A. Webster, M. D., Boston, Mass
X.—Growth of Bone in Both Tonsils, by WILLIAM WESLEY CARTER, A. M., M. D., New York
XI.—A Case of Mastoiditis Complicated with Extradural Abscess, Without a History of a Discharge from the Auditory Meatus, by Samuel Iglauer, M. D., Cincinnati
XII.—A Case for Diagnosis, by T. H. FARRELL, M. D., Utica, N. Y
XIII.—Mueller's Vertical Nasal Cut, by Frank B. Seitz, M. D., Buffalo, N. Y

XIV.—The Indications for Operating in Acute Mastoiditis, by Philip D. Kerrison, M. D., New York
XV.—Report of Seven Intracranial Operations Within a Year, by George F. Cott, M. D., Buffalo 140
XVI.—A Lecture on Some Unusual Manifestations of Syphilis of the Upper Air Passages, by Sir Felix Semon, K. C. V. O
XVII.—An Unusual Growth of the Mastoid Process, Fibro-ChondroOsteoma of the Mastoid Antrum, by S. Mac-Cuen Smith, M. D., Philadelphia
XVIII.—The Indications for Operative Interference in Mastoiditis Associated with Acute Suppurative Otitis Media, by T. Melville Hardie, M. D., Chicago
XIX.—A Case of Primary Syphilitic Infection of the Nose, by JAMES T. CAMPBELL, M. D., Chicago 226
XX.—Report of a Case of Abscess of the Temporo- Sphenoidal Lobe of an Otitic Origin, by John J. Kyle, M. D., Indianapolis
XXI.—Indications and Contraindications for Intralaryngeal Operation in Tuberculosis of the Larynx, with Report of Three Cases, by Cullen F. Welty, M. D., San Francisco
XXII.—Mouth-Breathing in Relation to Mental and Moral Hygiene, by Ross Allen Harris, M. D., Los Angeles, Cal
XXIII.—An Operation for the Painless and Bloodless Removal of Submerged and Adult Tonsils, by Francis B. Kellogg, M. D., Los Angeles, Cal
XXIV.—Section of Temporal Bone; Temporal Bone of Child; Metal Cast of Ear, by HILL HASTING, M. D., Los Angeles, Cal
XXV.—Eustachian Catheterization Through the Mouth, with Report of an Illustrative Case, by Hugo A. Kiefer, A. M., M. D., Los Angeles, Cal
XXVI.—Demonstration of Sequester of the Temporal Bone Obtained During a Mastoid Operation, by Henry L. Wagner, M. D., San Francisco, Cal

XXVII.—A New Tonsillotome, by Edwin Pynchon, M. D., Chicago
XXVIII.—Nasal Obstruction a Cause of Deafness, by D. H. Trowbridge, M. D., Fresno, Cal
XXIX.—The Morphology and Embryology of the Nasal Fossae of Vertebrates, by Leon Dieulafe, translated by Hanau W. Loeb
XXX.—The Results Obtained from the Radical Operation for Chronic Purulent Otitis Media, by S. MACCUEN SMITH, M. D. Philadelphia
XXXI.—The Results Obtained from Radical Operation for Chronic Purulent Otitis Media, by Edward Bradford Dench, M. D., New York
XXXII.—Ocular Symptoms of Nasal Origin—Report of Case of Retrobulbar Neuritis and Other Illustrative Cases, by HILL HASTINGS, M. D., Los Angeles
XXXIII.—Herpes Zoster Auris, by Derrick T. Vail., M. D., Cincinnati
XXXIV. — Sarcoma of the Nasopharynx—Treatment by Injection of Adrenalin, by John Edwin Rhodes, M. D., Chicago
XXXV.—Infective Sigmoid Sinus Thrombosis—Resection Internal Jugular—Report of Case—Recovery, by H. Bert Ellis, M. D., Los Angeles
XXXVI.—Three Fatal Cases of Meningitis, with Peculiar Ear Symptoms, by Dr. W. H. Roberts, Pasadena, Cal 465
XXXVII.—The Nasal Turbinate as a Vaso-Motor Index, by Jos. A. Babbitt, M. D., Philadelphia
XXXVIII.—Postoperative Meningitis, by T. J. Hapris, M. D., New York
XXXIX.—Modified Blood Clot in Mastoid Surgery, by W. Sohier Bryant, A. M., M. D., New York
XL.—The Medical Treatment of Tuberculosis of the Upper Air Passages, by Wm. C. Bane, M. D., Denver 494

XLI.—The Climatic Treatment of Tuberculosis of the Upper Air Passages, by Wolff Freudenthal, M. D., New York
XLII.—Aspiration of the Tympanic Cavity in Otitis, by Percy Friedenberg, M. D., New York
XLIII.—The Morphology and Embryology of the Nasal Fossae of Vertebrates, by Leon Dieulafe, translated by Hanau W. Loeb
XLIV.—Surgical Treatment of Tuberculosis of the Upper Air Passages and the Ear, by ROBERT LEVY, M. D., Denver
XLV.—Widmung der Amerikanischen Festschrift an den Herrn Geheimen Medicinalrath, Professor Dr. B. Fraenkel, by Dr. Otto Freer, Chicago
XLVI.—Bernhard Fraenkel — What He Has Done for Rhino - Laryngology, by W. Freudenthal, M. D., New York
XLVII.—Bernhard Fraenkel's Contributions to Medical Literature, by Wolff Freudenthal, M. D., New York, and Dr. Landgraff, Belzig
XLVIII.—Diseases of the Trachea—Anomalies, Hemorrhage, Inflammations and Infections, by James E. Newcomb, M. D., New York
XLIX.—Tumors of the Trachea, by CLEMENT F. THEISEN, M. D., Albany
L.—Stenosis of the Trachea, by WILLIAM KELLY SIMPSON, M. D., New York
LI.—Foreign Bodies in the Trachea and Tracheoscopy, by A. COOLIDGE, JR., M. D., Boston
LII.—A Study of the Anatomy of the Accessory Cavities of the Nose by Topographic Projections, by Hanau W. Loeb, A. M., M. D., St. Louis
LIII.—The Function of the Accessory Cavities of the Nose,

LIV.—General Pathologic Processes Associated With or Following Infections of the Accessory Sinuses, by D. Braden Kyle, M. D., Philadelphia
LV.—Gastroscopy, by Chevalier Jackson, M. D., Pittsburg, Pa
LVI.—Congenital Laryngeal Stridor, by A. LOGAN TURNER, M. D., F. R. C. S. E., F. R. S. E., Edinburgh 807
LVII.—Channels of Infection in Tuberculosis, by J. W. Gleitsmann, M. D., New York
LVIII.—Sarcoma of the Nose, with a Consideration of the Spontaneous Disappearance of Malignant Growths, by ROBERT LEVY, M. D., Denver
LIX.—Middle Ear Suppuration as an Etiologic Factor in Retropharyngeal Abscess, by E. M. Holmes, M. D., Boston
LX.—The Qualities of the Sense of Smell, by Dr. H. ZWAARDEMAKER, Utrecht
LXI.—The Early History of Laryngology in America, by Thomas J. Harris, M. D., New York
LXII.—Reminiscences, by EPHRAIM CUTTER, M. D. L.L. D., West Falmouth, Mass
LXIII.—Contribution to the Etiology of Atrophic Rhinitis. (Rhinitis Atrophicans Simplex et Fœtidus seu Ozæna), by Dr. John Sendziak, Warsaw
LXIV.—Laryngeal Disturbances Produced by Voice Use, by W. E. CASSELBERRY, M. D., Chicago 902
LXV.—The Removal of Adenoid Vegetations Through the Nasal Passages by a New Method, by Otto T. Freer, M. D., Chicago
LXVI.—President's Address Before the American Laryngological, Rhinological and Otological Society, Kansas City, 1906, by J. E. Logan, M. D., Kansas City

	LXVII.—The Diffuse Hyperplastic Laryngitis and Pharyngitis of Congenital Syphilis, by A. Brown Kelly, M. D., D. Sc., Glasgow
	LXVIII.—Cough in Diseases of the Recurrent Nerve, by PROF. GERARD FERRERI, Rome
	LXIX.—A Contribution to the Differential Diagnosis of Certain Malignant Diseases of the Lymphoid Tissue of the Throat, by J. L. GOODALE, M. D., Boston
,	LXX.—Malignant Disease of the Tongue, with a Report of Two Cases, by JOSEPH H. BRYAN, M. D., Washington 957
/	LXXI.—Treatment After the Radical Operation for Chronic Suppurative Frontal Antritis, by Dr. H. Luc, Paris
,	LXXII.—How Far Are Abnormalities of the Nasal Septum Responsible For Mal-Function of the Nose? by Henry L. Swain, M. D., New Haven
/	LXXIII.—Skiagraphy in the Diagnosis of Frontal Sinusitis, by W. A. CHISHOLM, M. D., New York979
	LXXIV.—The Nasopharynx and the Throat in the Deaf Mute, by James Kerr Love, M. D., Glasgow
	LXXV.—Persistent Unilateral Headache, Due to Nevoid Changes in the Bone of the Middle Turbinal Body, by WYATT WINGRAVE, M. D
	LXXVI.—The Etiology of Hyperkeratosis of the Tonsils, by Geo. B. Wood, M. D., Philadelphia
	LXXVII.—Laryngeal Phlegmon, by Norval H. Pierce, M. D., Chicago
	LXXVIII.—An Original Research on the Cause of Vocal Nodules, by F. E. MILLER, M. D., New York
	LXXIX.—Carcinoma of the Larynx—Operation and Specimen, by Charles W. Richardson, M. D. Washington1054

LXXX.—The Clinical Anatomy of the Tonsil, by WILLIAM LINCOLN BALLENGER, M. D., Chicago
LXXXI.—Some Observations of Submucous Resection of the Nasal Septum by the Open Method, by John Edwin Rhodes, M. D., Chicago
LXXXII.—The Catheterization Treatment of Acute Frontal Sinus Inflammations by the Internal Method, by HOLBROOK CURTIS, M. D., New York
LXXXIII.—On the Permanence of the Improvement in the Shape of the Nose Obtained by the Subcutaneous Injection of Hard Paraffin, by WALKER DOWNIE, M. D
LXXXIV.—A Short Note on Submucous Resection of Triangular Cartilage, by RICHARD LAKE, F. R. C. S., London
LXXXV.—A Case of Multiple Recurring Papillomata of the Larynx, by Charles W. Richardson, M. D., Washington
LXXXVI.—A Statistical Report of the Results of Operation in Sarcoma of the Nose by Methods Generally Adopted, With a Plea for the More Extended Use of the Electro-Cautery in Suitable Cases, by J. PRICE-BROWN, M. D., Toronto
LXXXVII.—Two Cases of Stammering, Illustrating the Importance of Early Treatment, by G. Hudson-Makuen, M. D., Philadelphia
LXXXVIII. — Violent Epistaxis in a Gouty Patient, by Prof. A. Trifiletti, Naples
LXXXIX.—The Importance of Diseases of the Nose in Treatment of the So-Called Scrofulous Diseases of the Eye, by Dr. C. Ziem, Danzig
XC.—Nasal Operations, by J. Baratoux, M. D., Paris.1145
XCI.—Pseudo-Frontal Sinusitis; Sub-Periosteal Abscess of the Forehead Complicated by Thrombo-Phlebitis of the

Superior Longitudinal Sinus Extending to the Lateral Sinus and Jugular Vein on the Opposite Side; Meningitis; Death; Necropsy, by Dr. V. Delsaux, Brussels
XCII.—Intercrico-Thyroid Tracheotomy and Decanulation, by Prof. E. J. Moure, Bourdeaux
XCIII.—Novel Method of Treatment of Synechia of the Pharynx, by EDWARD J. BERNSTEIN, M. D., Kalamazoo, Mich
XCIV.—A New Self-Retaining Nasal Speculum, by John H. Allen, M. D., Portland, Me
Abstracts from Current Otologic, Rhinologic and Laryngologic Literature:
I.—EAR 148, 350, 593
II.—Nose and Accessory Cavities 180, 376, 593
III.—PHARYNX AND MOUTH 189, 385, 593
IV.—LARYNX 193, 391, 593
V.—MISCELLANEOUS